

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: VeriSpec® Multi-Element Standard 4

100 ppm As, Be, Pb, Cd , Manufactured and Tested in an ISO 17025/Guide 34 Facility

Product Number: RV010825

Other Identifying Product Numbers: RV010825-100N

1.2. Recommended Use and Restrictions on Use

Calibration Standard

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive Arlington, TX 76012 USA Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statement	Precautionary Statements
Skin Corrosion / Irritation	Category 1A	H314	P260, P264, P280, P301+P330+P331,
			P303+P361+P353, P363, P304+P340, P310,
			P321, P305+P351+P338, P405, P501
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313,
			P321, P363, P501
Carcinogenicity	Category 1B	H350	P201, P202, P280, P308+P313, P405, P501
Corrosive to Metals	Category 1	H290	P234, P390, P406
Hazardous to the Aquatic Environment (Acute)	Category 3	H402	P273, P501



2.2. GHS Label Elements Pictograms:



Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H350	May cause cancer.
H402	Harmful to aquatic life.

Safety Data Sheet

Precautionary Statements: Precautionary Number Precautionary Statement P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P234 Keep only in original container. P260 Do not breathe fumes, mist, vapors, or spray. P261 Avoid breathing fumes, mist, vapors, or spray. P264 Wash arms, hands and face thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves and eye protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P303+P361+P353 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy P305+P351+P338 to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical attention. P310 Immediately call a POISON CENTER or physician. P321 Specific treatment (Wash areas of contact with water immediately). P332+P313 If skin irritation occurs: Get medical attention. P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents in accordance with local, state, federal and international regulations.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Safety Data Sheet

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Nitric Acid	HNO₃	63.01 g/mol	7697-37-2	5.00%
Beryllium Nitrate	Be(NO ₃) ₂	133.02 g/mol	13597-99-4	0.15%
Arsenic Acid	H₃AsO₄	141.94 g/mol	7778-39-4	0.02%
Cadmium Nitrate	CdN ₂ O ₆	236.42 g/mol	10325-94-7	0.02%
Lead Nitrate	Pb(NO ₃) ₂	331.20 g/mol	10099-74-8	0.02%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects, Acute and Delayed

May cause mild irritation to areas of contact.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

5.3. Special Protective Equipment for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.



6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Arsenic Acid (7778-39-4)	TWA	USA	10 μg/m ³ TWA (as As) U.S OSHA - Final PELs - Time Weighted Averages (TWAs)	
Arsenic Acid (7778-39-4)	TLV-TWA	USA	0.01 mg/m ³ TWA (as As) ACGIH - Threshold Limit Values - Weighted Averages (TLV-TWA)	
Arsenic Acid (7778-39-4)	PEL	USA	10 μg/m ³ TWA (Cancer hazard, See 29 U.S OSHA - Specifically Regulated CFR 1910.1018, except Arsine, as As) Chemicals with PELs 5 μg/m ³ Action Level (as As)	
Beryllium Nitrate (13597-99-4)	TWA	USA	2 μg/m ³ TWA (as Be) U.S OSHA - Final PELs - Time Weighted Averages (TWAs)	
Beryllium Nitrate (13597-99-4)	TLV-TWA	USA	0.00005 mg/m ³ TWA (inhalable ACGIH - Threshold Limit Values - Ti fraction, as Be) Weighted Averages (TLV-TWA)	
Beryllium Nitrate (13597-99-4)	PEL-Ceiling	USA	5 μg/m ³ Ceiling (as Be) U.S OSHA - Final PELs - Ceilir	
Cadmium Nitrate (10325-94-7)	TLV-TWA	USA	0.01 mg/m ³ TWA (as Cd) 0.002 mg/m ³ TWA (respirable fraction, as Cd)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Cadmium Nitrate (10325-94-7)	PEL	USA	5 μg/m ³ TWA (Do not eat, drink or chew tobacco or gum or apply cosmetics in regulated areas. Carcinogen - dust can cause lung and kidney disease. See 29 CFR 1910.1027, as Cd) 2.5 μg/m ³ Action Level (as Cd)	U.S OSHA - Specifically Regulated Chemicals with PELs
Lead Nitrate (10099-74-8)	TWA	USA	50 μg/m³ TWA (as Pb)	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Lead Nitrate (10099-74-8)	TLV-TWA	USA	0.05 mg/m³ TWA (as Pb)	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)
Lead Nitrate (10099-74-8)	PEL	USA	30 μg/m ³ Action Level (Poison, See 29 CFR 1910.1025, as Pb) 50 μg/m ³ TWA (as Pb)	U.S OSHA - Specifically Regulated Chemicals with PELs
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA 5 mg/m³ TWA	U.S OSHA - Final PELs - Time Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.



Respiratory Protection: No specific controls are needed. Normal room ventilation is adequate

Skin Protection: Wear protective gloves and eye protection.

Eye Protection: Wear protective gloves and eye protection.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance:	Data not available.
Physical State:	Liquid
Odor:	Data not available.
Odor Threshold:	Data not available.
pH:	Data not available.
Melting/Freezing Point:	Data not available.
Initial Boiling Point /Range:	Data not available.
Flash Point:	Data not available.
Evaporation Rate:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Vapor Pressure:	Data not available.
Vapor Density:	Data not available.
Relative Density:	1.06
Solubility:	Data not available.
Partition Coefficient (n-Octanol/Water):	Data not available.
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
Viscosity:	Data not available.
ExplosiveProperties:	Data not available.
Oxidizing Properties:	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.



10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep only in original container.

10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

Data not available.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Not applicable.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

Germ Cell Mutagenicity:

Not applicable.

Safety Data Sheet

Carcinogenicity:

May cause cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Harmful to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.



SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 100 mL UN Number: UN3264 Proper Shipping Name: Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid) Hazard Class: 8 Packing Group: II Hazard Placard Labels:



UN Number: Proper Shipping Name: Hazard Class: Packing Group: Hazard Placard Labels:

14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes:	100 mL
UN Number:	UN3264
Proper Shipping Name:	Corrosive Liquid, Acidic, Inorganic, n.o.s. (Nitric Acid)
Hazard Class:	8
Packing Group:	II
Hazard Placard Labels:	CORROSIVE

8 /

Safety Data Sheet

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead Nitrate (CAS # 10099-74-8): 30 µg/m3 Action Level (See 29 CFR 1910.1025, as Pb); 50 µg/m3 TWA (See 29 CFR 1910.1025, as Pb) Cadmium Nitrate (CAS # 10325-94-7): 5 µg/m3 TWA (See 29 CFR 1910.1027, as Cd); 2.5 µg/m3 Action Level (as Cd) Arsenic Acid (CAS # 7778-39-4): 10 µg/m3 TWA (See 29 CFR 1910.1018, except Arsine, as As); 5 µg/m3 Action Level (See 29 CFR 1910.1018, except Arsine, as As)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead Nitrate (CAS # 10099-74-8): 10 lb final RQ; 4.54 kg final RQ Beryllium Nitrate (CAS # 13597-99-4): 1 lb final RQ (listed under Beryllium nitrate); 0.454 kg final RQ (listed under Beryllium nitrate) Beryllium Nitrate (CAS # 13597-99-4): 1 lb final RQ; 0.454 kg final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ Arsenic Acid (CAS # 7778-39-4): 1 lb final RQ; 0.454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Lead Nitrate (CAS # 10099-74-8): 0.1 % Supplier notification limit (listed under Chemical Category N420) Lead Nitrate (CAS # 10099-74-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511) Lead Nitrate (CAS # 10099-74-8): 100 lb RT Cadmium Nitrate (CAS # 10325-94-7): 0.1 % de minimis concentration (listed under Chemical Category N078) Cadmium Nitrate (CAS # 10325-94-7): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511) Beryllium Nitrate (CAS # 13597-99-4): 0.1 % de minimis concentration (listed under Chemical Category N050) Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration Arsenic Acid (CAS # 7778-39-4): 0.1 % de minimis concentration (listed under Chemical Category N020)

15.5. Massachusetts Right-to-Know Substance List

Lead Nitrate (CAS # 10099-74-8): Present Beryllium Nitrate (CAS # 13597-99-4): Present Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous Arsenic Acid (CAS # 7778-39-4): Present



15.6. Pennsylvania Right-to-Know Hazardous Substances

Lead Nitrate (CAS # 10099-74-8): Environmental hazard Lead Nitrate (CAS # 10099-74-8): Present Cadmium Nitrate (CAS # 10325-94-7): Environmental hazard Cadmium Nitrate (CAS # 10325-94-7): Present Beryllium Nitrate (CAS # 13597-99-4): Environmental hazard Beryllium Nitrate (CAS # 13597-99-4): Present Nitric Acid (CAS # 7697-37-2): Environmental hazard Nitric Acid (CAS # 7697-37-2): Present Arsenic Acid (CAS # 7778-39-4): Environmental hazard Arsenic Acid (CAS # 7778-39-4): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components Lead Nitrate (CAS # 10099-74-8): carcinogen

Lead Nitrate (CAS # 10099-74-8): carcinogen; teratogen Lead Nitrate (CAS # 10099-74-8): sn 1108 Lead Nitrate (CAS # 10099-74-8): sn 2266 Lead Nitrate (CAS # 10099-74-8): SN 2266 500 lb TPQ (Category Code N420. Includes any unique chemical substance that contains the named metal as part of that chemical structure) Lead Nitrate (CAS # 10099-74-8): sn 3722 Lead Nitrate (CAS # 10099-74-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Cadmium Nitrate (CAS # 10325-94-7): carcinogen Cadmium Nitrate (CAS # 10325-94-7): sn 2199 Cadmium Nitrate (CAS # 10325-94-7): SN 2199 500 lb TPQ (Category Code N078) Cadmium Nitrate (CAS # 10325-94-7): sn 3722 Cadmium Nitrate (CAS # 10325-94-7): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Cadmium Nitrate (CAS # 10325-94-7): sn 4088 Beryllium Nitrate (CAS # 13597-99-4): carcinogen Beryllium Nitrate (CAS # 13597-99-4): sn 0225 Beryllium Nitrate (CAS # 13597-99-4): sn 2163 Beryllium Nitrate (CAS # 13597-99-4): SN 2163 500 lb TPQ (Category Code N050) Beryllium Nitrate (CAS # 13597-99-4): sn 3722 Beryllium Nitrate (CAS # 13597-99-4): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Beryllium Nitrate (CAS # 13597-99-4): sn 4097 Beryllium Nitrate (CAS # 13597-99-4): sn 4101 Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree Nitric Acid (CAS # 7697-37-2): sn 1356 Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ Nitric Acid (CAS # 7697-37-2): sn 3722 Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Arsenic Acid (CAS # 7778-39-4): carcinogen Arsenic Acid (CAS # 7778-39-4): sn 0153 Arsenic Acid (CAS # 7778-39-4): sn 2138 Arsenic Acid (CAS # 7778-39-4): SN 2138 500 lb TPQ (Category Code N020)

15.8. California Proposition 65

Lead Nitrate (CAS # 10099-74-8): carcinogen, 10/1/1992 Cadmium Nitrate (CAS # 10325-94-7): carcinogen, 10/1/1987 Beryllium Nitrate (CAS # 13597-99-4): carcinogen, 10/1/1987 Arsenic Acid (CAS # 7778-39-4): 0.06 µg/day NSRL (inhalation, listed under Arsenic); 10 µg/day NSRL (except inhalation, listed under Arsenic) Arsenic Acid (CAS # 7778-39-4): carcinogen, 2/27/1987



15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Lead Nitrate (CAS # 10099-74-8): Present (DSL) Cadmium Nitrate (CAS # 10325-94-7): Present (DSL) Beryllium Nitrate (CAS # 13597-99-4): Present (NDSL) Nitric Acid (CAS # 7697-37-2): Present (DSL) Arsenic Acid (CAS # 7778-39-4): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Lead Nitrate (CAS # 10099-74-8): Present Cadmium Nitrate (CAS # 10325-94-7): Present Beryllium Nitrate (CAS # 13597-99-4): Present Nitric Acid (CAS # 7697-37-2): Present Arsenic Acid (CAS # 7778-39-4): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP) Not listed.

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May be corrosive to metals. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. Harmful to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves and eye protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. Specific treatment (Wash areas of contact with water immediately). If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.



16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable. Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 3 Flammability: 0 Reactivity: 0 Special Hazard:





16.4. Document Revision

Last Revision Date: 9/15/2016

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.