

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: VeriSpec® Multi-Element Standard 9

10 ppm: Be, Bi, Ce, Co, In, Mg, Ni, Pb, U , Manufactured and Tested in an ISO 17025/Guide 34 Facilit

Product Number: RV010864

Other Identifying Product Numbers: RV010864-100N

1.2. Recommended Use and Restrictions on Use

Calibration Standard

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive Arlington, TX 76012 USA Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard		
Hazard Class	Category	Statement	Precautionary Statements
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313, P362
Eye Damage / Irritation	Category 2A	H319	P264, P280, P305+P351+P338, P337+P313

2.2. GHS Label Elements

Pictograms:



Signal Word: Warning

Safety Data Sheet

Hazard Statements:

Hazard Number	Hazard Statement
H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary Statements:

Precautionary Number	Precautionary Statement
P264	Wash arms, hands and face thoroughly after handling.
P280	Wear protective gloves and eye protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P321	Specific treatment (Wash areas of contact with water immediately).
P332+P313	If skin irritation occurs: Get medical attention.
P337+P313	If eye irritation persists: Get medical attention.
P362	Take off contaminated clothing and wash it before reuse.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Nitric Acid	HNO₃	63.01 g/mol	7697-37-2	2.00%
Beryllium Nitrate	Be(NO ₃) ₂	133.02 g/mol	13597-99-4	0.01%
Magnesium Nitrate	Mg(NO ₃) ₂	148.31 g/mol	10377-60-3	0.01%
Nickel (II) Nitrate	Ni(NO ₃) ₂	182.70 g/mol	13138-45-9	0.00%
Cerium (III) Nitrate Hexahydrate	Ce(NO ₃) ₃ .6H ₂ O	326.13 g/mol	10294-41-4	0.00%
Cobalt (II) Nitrate	Co(NO ₃) ₂	182.94 g/mol	10141-05-6	0.00%
Indium (III) Nitrate Hydrate	In(NO₃)₃·xH₂O	300.83 g/mol	13465-14-0	0.00%
		(anhydrous basis)		
Bismuth (III) Nitrate Pentahydrate	Bi(NO₃)₃·5H₂O	485.07 g/mol	10035-06-0	0.00%
Uranyl Acetate Dihydrate	UO ₂ (CH ₃ COO) ₂ ·2H ₂ O	424.15 g/mol	6159-44-0	0.00%
Lead Nitrate	Pb(NO ₃) ₂	331.20 g/mol	10099-74-8	0.00%

Safety Data Sheet

SECTION 4: First-Aid Measures

4.1. General First Aid Information

- Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - Inhalation: Not expected to require first aid. If necessary, remove to fresh air.
- Skin Contact: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: No action required to be taken. If necessary, dilute with water.

4.2. Most Important Symptoms and Effects, Acute and Delayed

May cause mild irritation to areas of contact.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water immediately).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Not considered to be a fire or explosion hazard.

5.2. Specific Hazards Arising from the Substance or Mixture

Not considered to be a fire or explosion hazard.

5.3. Special Protective Equipment for Firefighters

Wear protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with suitable material and dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Protect from freezing and physical damage.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Beryllium Nitrate (13597-99-4)	TWA	USA	2 μg/m³ TWA (as Be)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Beryllium Nitrate (13597-99-4)	TLV-TWA	USA	0.00005 mg/m ³ TWA (inhalable	ACGIH - Threshold Limit Values - Time
			fraction, as Be)	Weighted Averages (TLV-TWA)
Beryllium Nitrate (13597-99-4)	PEL-Ceiling	USA	5 μg/m³ Ceiling (as Be)	U.S OSHA - Final PELs - Ceiling Limits
Cobalt (II) Nitrate (10141-05-6)	TLV-TWA	USA	0.02 mg/m³ TWA (as Co)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Lead Nitrate (10099-74-8)	TWA	USA	50 μg/m³ TWA (as Pb)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Lead Nitrate (10099-74-8)	TLV-TWA	USA	0.05 mg/m³ TWA (as Pb)	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Lead Nitrate (10099-74-8)	PEL	USA	30 µg/m ³ Action Level (Poison, See 29	U.S OSHA - Specifically Regulated
			CFR 1910.1025, as Pb)	Chemicals with PELs
			50 μg/m³ TWA (as Pb)	
Nickel (II) Nitrate (13138-45-9)	TWA	USA	1 mg/m³ TWA (as Ni)	U.S OSHA - Final PELs - Time
				Weighted Averages (TWAs)
Nickel (II) Nitrate (13138-45-9)	TLV-TWA	USA	0.1 mg/m ³ TWA (inhalable fraction, as	ACGIH - Threshold Limit Values - Time
			Ni)	Weighted Averages (TLV-TWA)
Nitric Acid (7697-37-2)	TWA	USA	2 ppm TWA	U.S OSHA - Final PELs - Time
			5 mg/m³ TWA	Weighted Averages (TWAs)
Nitric Acid (7697-37-2)	TLV-STEL	USA	4 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Nitric Acid (7697-37-2)	TLV-TWA	USA	2 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Uranyl Acetate Dihydrate	TWA	USA	0.05 mg/m³ TWA (as U)	U.S OSHA - Final PELs - Time
(6159-44-0)				Weighted Averages (TWAs)
Uranyl Acetate Dihydrate	TWA	USA	0.25 mg/m³ TWA (as U)	U.S OSHA - Final PELs - Time
(6159-44-0)				Weighted Averages (TWAs)
Uranyl Acetate Dihydrate	TLV-STEL	USA	0.6 mg/m ³ STEL (as U)	ACGIH - Threshold Limit Values - Short
(6159-44-0)				Term Exposure Limits (TLV-STEL)
Uranyl Acetate Dihydrate	TLV-TWA	USA	0.2 mg/m ³ TWA (as U)	ACGIH - Threshold Limit Values - Time
(6159-44-0)				Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: No specific controls are needed. Normal room ventilation is adequate.

Respiratory Protection: No specific controls are needed. Normal room ventilation is adequate

Skin Protection: Wear protective gloves and eye protection.



Eye Protection: Wear protective gloves and eye protection.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance:	Data not available.
Physical State:	
•	
Odor:	Data not available.
Odor Threshold:	Data not available.
pH:	Data not available.
Melting/Freezing Point:	Data not available.
Initial Boiling Point /Range:	Data not available.
Flash Point:	Data not available.
Evaporation Rate:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Vapor Pressure:	Data not available.
Vapor Density:	Data not available.
Relative Density:	1.06
Solubility:	Data not available.
Partition Coefficient (n-Octanol/Water):	Data not available.
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
Viscosity:	Data not available.
ExplosiveProperties:	Data not available.
Oxidizing Properties:	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.



10.3. Conditions to Avoid and Incompatible Materials

Protect from freezing and physical damage.

10.4. Hazardous Decomposition Products

May emit irritating fumes when heated to decomposition.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

Data not available.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water immediately). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Not applicable.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.



Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Not regulated according to DOT Regulations.



Not regulated according to IATA Regulations.

SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Lead Nitrate (CAS # 10099-74-8): 30 µg/m3 Action Level (See 29 CFR 1910.1025, as Pb); 50 µg/m3 TWA (See 29 CFR 1910.1025, as Pb)

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Lead Nitrate (CAS # 10099-74-8): 10 lb final RQ; 4.54 kg final RQ Nickel (II) Nitrate (CAS # 13138-45-9): 100 lb final RQ; 45.4 kg final RQ Beryllium Nitrate (CAS # 13597-99-4): 1 lb final RQ (listed under Beryllium nitrate); 0.454 kg final RQ (listed under Beryllium nitrate) Beryllium Nitrate (CAS # 13597-99-4): 1 lb final RQ; 0.454 kg final RQ Uranyl Acetate Dihydrate (CAS # 6159-44-0): 100 lb final RQ; 45.4 kg final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Lead Nitrate (CAS # 10099-74-8): 0.1 % Supplier notification limit (listed under Chemical Category N420) Lead Nitrate (CAS # 10099-74-8): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511) Lead Nitrate (CAS # 10099-74-8): 100 lb RT Cobalt (II) Nitrate (CAS # 10141-05-6): 0.1 % de minimis concentration (listed under Chemical Category N096) Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category

N511)

Magnesium Nitrate (CAS # 10377-60-3): 1.0 % de minimis concentration (reportable only when in aqueous solution, Chemical Category N511)

Nickel (II) Nitrate (CAS # 13138-45-9): 0.1 % de minimis concentration (listed under Chemical Category N495)

Beryllium Nitrate (CAS # 13597-99-4): 0.1 % de minimis concentration (listed under Chemical Category N050)

Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration



15.5. Massachusetts Right-to-Know Substance List

Lead Nitrate (CAS # 10099-74-8): Present Cobalt (II) Nitrate (CAS # 10141-05-6): Present Magnesium Nitrate (CAS # 10377-60-3): Present Nickel (II) Nitrate (CAS # 13138-45-9): Present Beryllium Nitrate (CAS # 13597-99-4): Present Uranyl Acetate Dihydrate (CAS # 6159-44-0): Present Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Lead Nitrate (CAS # 10099-74-8): Environmental hazard Lead Nitrate (CAS # 10099-74-8): Present Cobalt (II) Nitrate (CAS # 10141-05-6): Environmental hazard Cobalt (II) Nitrate (CAS # 10141-05-6): Present Magnesium Nitrate (CAS # 10377-60-3): Present Nickel (II) Nitrate (CAS # 13138-45-9): Environmental hazard Nickel (II) Nitrate (CAS # 13138-45-9): Present Beryllium Nitrate (CAS # 13597-99-4): Environmental hazard Beryllium Nitrate (CAS # 13597-99-4): Present Uranyl Acetate Dihydrate (CAS # 6159-44-0): Environmental hazard Nitric Acid (CAS # 7697-37-2): Environmental hazard Nitric Acid (CAS # 7697-37-2): Present

Safety Data Sheet

15.7. New Jersey Worker and Community Right-to-Know Components

Bismuth (III) Nitrate Pentahydrate (CAS # 10035-06-0): sn 3722 Bismuth (III) Nitrate Pentahydrate (CAS # 10035-06-0): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Lead Nitrate (CAS # 10099-74-8): carcinogen Lead Nitrate (CAS # 10099-74-8): carcinogen; teratogen Lead Nitrate (CAS # 10099-74-8): sn 1108 Lead Nitrate (CAS # 10099-74-8): sn 2266 Lead Nitrate (CAS # 10099-74-8): SN 2266 500 lb TPQ (Category Code N420. Includes any unique chemical substance that contains the named metal as part of that chemical structure) Lead Nitrate (CAS # 10099-74-8): sn 3722 Lead Nitrate (CAS # 10099-74-8): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Cobalt (II) Nitrate (CAS # 10141-05-6): carcinogen Cobalt (II) Nitrate (CAS # 10141-05-6): sn 2222 Cobalt (II) Nitrate (CAS # 10141-05-6): SN 2222 500 lb TPQ (Category Code N096) Cobalt (II) Nitrate (CAS # 10141-05-6): sn 3722 Cobalt (II) Nitrate (CAS # 10141-05-6): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): sn 3722 Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Magnesium Nitrate (CAS # 10377-60-3): sn 1143 Magnesium Nitrate (CAS # 10377-60-3): sn 3722 Magnesium Nitrate (CAS # 10377-60-3): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Nickel (II) Nitrate (CAS # 13138-45-9): carcinogen Nickel (II) Nitrate (CAS # 13138-45-9): sn 1347 Nickel (II) Nitrate (CAS # 13138-45-9): sn 2366 Nickel (II) Nitrate (CAS # 13138-45-9): SN 2366 500 lb TPQ (Category Code N495. Includes any unique chemical substance that contains the named metal as part of that chemical structure) Nickel (II) Nitrate (CAS # 13138-45-9): sn 3722 Nickel (II) Nitrate (CAS # 13138-45-9): SN 3722 500 lb TPQ (water dissociable, Category Code N511) Nickel (II) Nitrate (CAS # 13138-45-9): sn 4059 Beryllium Nitrate (CAS # 13597-99-4): carcinogen Beryllium Nitrate (CAS # 13597-99-4): sn 0225 Beryllium Nitrate (

15.8. California Proposition 65

Lead Nitrate (CAS # 10099-74-8): carcinogen, 10/1/1992 Nickel (II) Nitrate (CAS # 13138-45-9): carcinogen, 5/7/2004 Beryllium Nitrate (CAS # 13597-99-4): carcinogen, 10/1/1987

Safety Data Sheet

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Bismuth (III) Nitrate Pentahydrate (CAS # 10035-06-0): Present (DSL) Lead Nitrate (CAS # 10099-74-8): Present (DSL) Cobalt (II) Nitrate (CAS # 10141-05-6): Present (DSL) Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): Present (DSL) Magnesium Nitrate (CAS # 10377-60-3): Present (DSL) Nickel (II) Nitrate (CAS # 10377-60-3): Present (DSL) Beryllium Nitrate (CAS # 13138-45-9): Present (DSL) Uranyl Acetate Dihydrate (CAS # 6159-44-0): Present (DSL) Nitric Acid (CAS # 7697-37-2): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Bismuth (III) Nitrate Pentahydrate (CAS # 10035-06-0): Present Lead Nitrate (CAS # 10099-74-8): Present Cobalt (II) Nitrate (CAS # 10141-05-6): Present Cerium (III) Nitrate Hexahydrate (CAS # 10294-41-4): Present Magnesium Nitrate (CAS # 10377-60-3): Present Nickel (II) Nitrate (CAS # 10377-60-3): Present Beryllium Nitrate (CAS # 13138-45-9): Present Uranyl Acetate Dihydrate (CAS # 6159-44-0): Present Nitric Acid (CAS # 7697-37-2): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP) Not listed.

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Causes skin irritation. Causes serious eye irritation.

Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection.

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (Wash areas of contact with water immediately). If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off contaminated clothing and wash it before reuse.



16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable. Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 1 Flammability: 0 Reactivity: 0 Special Hazard:





16.4. Document Revision

Last Revision Date: 9/15/2016

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.