

## **Product Specification**

## Ferric Ammonium Sulfate TS, 8% (w/v)

## Manufacture Date: N/A

Lot Number: SAMPLE	Product Number: 3058		Expiration Date: N/A
Name	CAS#	Grade	
Water	7732-18-5	ACS/ASTM/USP/EP	
Ferric Ammonium Sulfate Dodecahydr	ate 7783-83-7	ACS	
Test	Specification	Result	NIST SRM#
Appearance	Amber liquid	N/A	
Assay (vs. Sodium Thiosulfate/Starch)	7.9-8.1 % (w/v)	N/A	136

Specification	Reference
Ferric Ammonium Sulfate Indicator Solution	ASTM (E 200)
Ferric Ammonium Sulfate Indicator Reagent Solution	ACS (N/A)
Ferric Ammonium Sulfate TS	USP (N/A)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434: it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with  $\varepsilon$  thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)		
3058-4	120 mL natural poly	12 months		
3058-32	1 L natural poly	12 months		
3058-16	500 mL natural poly	12 months		

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."