

# Product Specification

## Gallic Acid, Saturated

**Lot Number:** SAMPLE**Product Number:** R3224999**Manufacture Date:** N/A**Expiration Date:** N/A

Because this is a saturated solution, precipitation is normal and expected. The supernatant solution is still suitable for use.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Gallic Acid Monohydrate	5995-86-8	ACS

Test	Specification	Result
Appearance	Colorless to light tan liquid	N/A

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
R3224999-1A	1 L natural poly	12 months
R3224999-4A	4 L natural poly	12 months
R3224999-500A	500 mL natural poly	12 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."