

# Product Specification

## Lead Acetate, 2% (w/v)

**Lot Number:** SAMPLE**Product Number:** 4291**Manufacture Date:** N/A**Expiration Date:** N/A

A small amount of Glacial Acetic Acid is added to inhibit formation of insoluble basic Lead salts.

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Lead Acetate Trihydrate	6080-56-4	ACS
Acetic Acid	64-19-7	ACS

Test	Specification	Result
------	---------------	--------

Appearance	Colorless liquid	N/A
------------	------------------	-----

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
4291-32	1 L natural poly	24 months
4291-1	4 L natural poly	24 months

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."