

Product Specification

Monomagnesium EDTA, 0.2 g/L, for Hardness

Lot Number: SAMPLE

Product Number: 5212

Manufacture Date: N/A

Expiration Date: N/A

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Magnesium Disodium EDTA	14402-88-1	Reagent

Test	Specification	Result
Appearance	Colorless liquid	N/A
Suitability for Use	1:1 Mg:EDTA ratio	N/A

Specification	Reference
Monomagnesium ethylenediamine-tetraacetate	EPA (130.1)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
5212-32	1 L natural poly	24 months
5212-16	500 mL natural poly	24 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."