

Product Specification

Potassium Hydroxide, 45% (w/w), Analytical Reagent Grade

Lot Number: SAMPLE

Product Number: 6190

Manufacture Date: N/A

Expiration Date: N/A

This solution has purity equivalent to that obtained by dissolving ACS Reagent Grade Potassium Hydroxide in high purity water.

Name	CAS#	Grade
Water	7732-18-5	Reagent
Potassium Hydroxide	1310-58-3	Reagent

Test	Specification	Result	NIST SRM#
Appearance	Colorless liquid	N/A	
Assay (vs. Sulfuric Acid/Phenolphthalein)	min 45.0 % (w/w)	N/A	723
Chloride (Cl)	max 0.003 %	N/A	
Heavy Metals (as Ag)	max 5 ppm	N/A	
Iron (Fe)	max 2 ppm	N/A	3126
NH ₄ OH Precipitate	max 0.005 %	N/A	
Nickel (Ni)	max 5 ppm	N/A	3136
Nitrogen Compounds (as N)	max 5 ppm	N/A	
Phosphate (PO ₄)	max 2 ppm	N/A	
Potassium Carbonate (K ₂ CO ₃)	max 0.2 %	N/A	
Sodium (Na)	max 0.02 %	N/A	3152
Sulfate (SO ₄)	max 0.001 %	N/A	

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
6190-2.5	10 L Cubitainer®	36 months
6190-32	1 L natural poly	36 months
6190-5HP	20 L Ropak™	36 months
6190-5	20 L Cubitainer®	36 months
6190-30	30 gal drum	36 months
6190-1	4 L natural poly	36 months
6190-16	500 mL natural poly	36 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."