

Product Specification

Sodium Hypochlorite Solution, 6% available Chlorine

Lot Number: SAMPLE

Product Number: 7495.7

Manufacture Date: N/A

Expiration Date: N/A

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Hypochlorite	7681-52-9	Reagent

Test	Specification	Result	NIST SRM#
Appearance	Colorless to greenish-yellow liquid	N/A	
Assay (vs. Sodium Thiosulfate/Starch)	5.94-6.06 % (w/w) Cl_2	N/A	136

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7495.7-32	1 L amber poly	6 months
7495.7-1	4 L black poly	6 months

Recommended Storage: 15°C - 30°C (59°F - 86°F)