

Product Specification

Salicylate / Nitroprusside Solution, EPA for Kjeldahl Nitrogen Determination

Lot Number: SAMPLE

Product Number: 7553

Manufacture Date: N/A

Expiration Date: N/A

Name	CAS#	Grade
Water	7732-18-5	ACS/ASTM/USP/EP
Sodium Salicylate	54-21-7	Reagent
Sodium Nitroprusside	13755-38-9	ACS

Test	Specification	Result
Appearance	Pinkish-orange liquid	N/A

Specification	Reference
Sodium Salicylate/Sodium Nitroprusside Solution	EPA (351.2)

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

Part Number	Size / Package Type	Shelf Life (Unopened Container)
7553-32	1 L amber glass	28 days
7553-16	500 mL amber glass	28 days

Recommended Storage: 15°C - 30°C (59°F - 86°F)

This Certificate of Analysis is designed to comply with ISO Guide 31 "Reference Materials -- Contents of Certificates and Labels."