

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Methylene Blue Milk Smear Stain Modified Newman-Lampert Formulation, for Microscopic Bacterial Examination of Milk

Product Number: 4890

Other Identifying Product Numbers: 4890-16, 4890-32

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive Arlington, TX 76012 USA Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statement	Precautionary Statements
Acute Toxicity - Oral	Category 3	H301	P264, P270, P301+P310, P321, P330, P405,
			P501
Acute Toxicity - Dermal	Category 1	H310	P262, P264, P270, P280, P352, P310, P321,
			P361, P405, P501
Acute Toxicity - Inhalation	Category 2	H330	P260, P271, P285, P304+P340, P310, P320,
			P403+P233, P405, P501
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313,
			P362
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Respiratory Sensitizer	Category 1	H334	P261, P285, P304+P341, P342+P311, P501
Germ Cell Mutagenicity	Category 1	H340	P201, P202, P280, P308+P313, P405, P501
Carcinogenicity	Category 2	H351	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 1	H360	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single	Category 1	H370	P260, P264, P270, P307+P311, P321, P405,
Exposure			P501
Specific Target Organs/Systemic Toxicity Following Repeated	Category 1	H372	P260, P264, P270, P314, P501
Exposure			
Flammable Liquids	Category 2	H225	P210, P233, P240, P241, P242, P243, P280,
			P303+P361+P353, P370+P378, P403+P235,
			P501
Hazardous to the Aquatic Environment (Acute)	Category 2	H401	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 2	H401	P273, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: Danger

Safety Data Sheet

Hazard Statements:

Hazard Number	Hazard Statement
H225	Highly flammable liquid and vapor.
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H401	Toxic to aquatic life.

Safety Data Sheet

Precautionary Statements: Precautionary Number Precautionary Statement P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks and open flame. No smoking. P233 Keep container tightly closed. P240 Ground container and receiving equipment. P241 Use explosion-proof equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe fumes, mist, vapors, or spray. P261 Avoid breathing fumes, mist, vapors, or spray. P262 Do not get in eyes, on skin, or on clothing. P264 Wash arms, hands and face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves and eye protection. P285 In case of inadequate ventilation wear respiratory protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or physician. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. P304+P341 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307+P311 IF exposed: Call a POISON CENTER or physician. P308+P313 IF exposed or concerned: Get medical attention. P310 Immediately call a POISON CENTER or physician. P314 Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water). P320 P321 Specific treatment (Wash areas of contact with water). P330 Rinse mouth. P332+P313 If skin irritation occurs: Get medical attention. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or physician. P352 Wash with plenty of soap and water. P361 Take off immediately all contaminated clothing and wash it before reuse. P362 Take off contaminated clothing and wash it before reuse. P370+P378 In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Safety Data Sheet

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
1,1,2,2-Tetrachloroethane		167.84 g/mol	79-34-5	60.08%
Ethyl Alcohol	CH₃CH₂OH	46.06 g/mol	64-17-5	31.96%
Acetic Acid	CH₃COOH	60.05 g/mol	64-19-7	3.61%
Water	H₂O	18.01 g/mol	7732-18-5	2.24%
Methyl Alcohol	CH₃OH	32.04 g/mol	67-56-1	1.60%
Methylene Blue Trihydrate	$C_{16}H_{18}CIN_3S\cdot 3H_2O$	373.90 g/mol	7220-79-3	0.52%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

- Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.
 - Inhalation: IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.
- Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking which can lead to secondary infections and dermatitis.
 - **Ingestion:** IF SWALLOWED: Immediately call a POISON CENTER or physician. Dilute immediately with water or milk. Induce vomiting. Call a physician.

Safety Data Sheet

4.2. Most Important Symptoms and Effects, Acute and Delayed

May be fatal if swallowed. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Use with adequate ventilation. If swallowed, dilute with water and induce vomiting. Call a physician. Wash areas of contact with plenty of water for 15 minutes. For eyes, get medical attention. Contains a known animal carcinogen, which has not been shown to cause cancer in humans (1,1,2,2-Tetrachloroethane). Potential symptoms of overexposure are nausea, vomiting and abdominal pain, finger tremors, jaundice, enlarged tender liver, dermatitis, kidney damage. Contains 1,1,2,2-Tetrachloroethane, which is considered one of the most toxic of the common chlorinated hydrocarbons, particularly with respect to toxic effects on the liver. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water). Specific treatment (Wash areas of contact with water).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Use extinguishing media appropriate for surrounding fire.

5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Vapors can flow along surfaces to distant ignition source and flashback. Use water spray to blanket fire, cool fire exposed containers, and to flush non-ignited spills or vapors away from fire.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues. Store at controlled room temperature: 15 - 30oC.

Safety Data Sheet

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
1,1,2,2-Tetrachloroethane	TWA	USA	5 ppm TWA	U.S OSHA - Final PELs - Time
(79-34-5)			35 mg/m³ TWA	Weighted Averages (TWAs)
1,1,2,2-Tetrachloroethane	TLV-TWA	USA	1 ppm TWA	ACGIH - Threshold Limit Values - Time
(79-34-5)				Weighted Averages (TLV-TWA)
Acetic Acid (64-19-7)	TWA	USA	10 ppm TWA	U.S OSHA - Final PELs - Time
			25 mg/m³ TWA	Weighted Averages (TWAs)
Acetic Acid (64-19-7)	TLV-STEL	USA	15 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Acetic Acid (64-19-7)	TLV-TWA	USA	10 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)
Ethyl Alcohol (64-17-5)	TWA	USA	1000 ppm TWA	U.S OSHA - Final PELs - Time
			1900 mg/m³ TWA	Weighted Averages (TWAs)
Ethyl Alcohol (64-17-5)	TLV-STEL	USA	1000 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TWA	USA	200 ppm TWA	U.S OSHA - Final PELs - Time
			260 mg/m³ TWA	Weighted Averages (TWAs)
Methyl Alcohol (67-56-1)	TLV-STEL	USA	250 ppm STEL	ACGIH - Threshold Limit Values - Short
				Term Exposure Limits (TLV-STEL)
Methyl Alcohol (67-56-1)	TLV-TWA	USA	200 ppm TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limit.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. If the exposure limit is exceeded, a full facepiece respirator equipped with organic vapor cartridge should be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. If the exposure limit is exceeded, a full facepiece respirator equipped with organic vapor cartridge should be worn. Chemical resistant gloves. Safety glasses or goggles.

Safety Data Sheet

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance:	Dark blue liquid
Physical State:	Liquid
Odor:	Data not available.
Odor Threshold:	Data not available.
pH:	Data not available.
Melting/Freezing Point:	Data not available.
Initial Boiling Point /Range:	Approximately 120°C - Approximately 120°C
Flash Point:	Estimated at 30°C
Evaporation Rate:	Data not available.
Flammability:	Data not available.
Flammability/Explosive Limits:	Data not available.
Vapor Pressure:	Data not available.
Vapor Density:	Data not available.
Relative Density:	1.16
Solubility:	Data not available.
Partition Coefficient (n-Octanol/Water):	Data not available.
Auto-Ignition Temperature:	Data not available.
Decomposition Temperature:	Data not available.
Viscosity:	Data not available.
ExplosiveProperties:	Data not available.
Oxidizing Properties:	Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Chemically active metals, strong Oxidizers, strong Caustics, Nitric Acid, heat, sparks, open flame.



10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Toxic if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Rinse mouth. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Fatal in contact with skin. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves and eye protection. Wash with plenty of soap and water. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LD50, Oral, Rat: (Methanol) 5628 mg/kg, (Methylene Blue) 1180 mg/kg, (Acetic Acid): 3310 mg/kg, (1,1,2,2-Tetrachloroethane) 200 mg/kg, LCLo, Inhalation, Rat: (1,1,2,2-Tetrachloroethane) 1000 ppm/4H, details of toxic effects not reported other than lethal dose value; (Ethanol) 7060 mg/kg, respiratory effects noted. 1,1,2,2-Tetrachloroethane is investigated as a tumorigen.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Avoid breathing fumes, mist, vapors, or spray. In case of inadequate ventilation wear respiratory protection. IF INHALED: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Dispose of contents in accordance with local, state, federal and international regulations.

Skin Sensitization:

Not applicable.

Safety Data Sheet

Germ Cell Mutagenicity:

May cause genetic defects. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Carcinogenicity:

Suspected of causing cancer. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Reproductive Toxicity:

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations. Toxic to aquatic life. Avoid release to the environment. Dispose of contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.



12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes:	1 L, 500 mL
UN Number:	UN1992
Proper Shipping Name:	Flammable liquid, toxic, n.o.s. (Ethanol, 1,1,2,2-Tetrachloroethane)
Hazard Class:	3 (6.1)
Packing Group:	II
Hazard Placard Labels:	FLAMMABLE 3 6

Sizes: UN Number: Proper Shipping Name: Hazard Class: Packing Group: Hazard Placard Labels:



14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes:	1 L, 500 mL
UN Number:	UN1992
Proper Shipping Name:	Flammable liquid, toxic, n.o.s. (Ethanol, 1,1,2,2-Tetrachloroethane)
Hazard Class:	3 (6.1)
Packing Group:	II
Hazard Placard Labels:	FLAMMABLE TOXIC

SECTION 15: Regulatory Information

- 15.1. Occupational Safety and Health Administration (OSHA) Hazards Not listed.
- **15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances** Not listed.
- 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Acetic Acid (CAS # 64-19-7): 5000 lb final RQ; 2270 kg final RQ Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): 1 lb final RQ; 0.454 kg final RQ 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): 100 lb final RQ; 45.4 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Ethyl Alcohol (CAS # 64-17-5): Teratogen Acetic Acid (CAS # 64-19-7): Present Methyl Alcohol (CAS # 67-56-1): Present 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): Carcinogen; Extraordinarily hazardous



15.6. Pennsylvania Right-to-Know Hazardous Substances

Ethyl Alcohol (CAS # 64-17-5): Present Acetic Acid (CAS # 64-19-7): Environmental hazard Acetic Acid (CAS # 64-19-7): Present Methyl Alcohol (CAS # 67-56-1): Environmental hazard Methyl Alcohol (CAS # 67-56-1): Present Water (CAS # 7732-18-5): Present 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): Environmental hazard 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Ethyl Alcohol (CAS # 64-17-5): carcinogen; flammable - third degree; mutagen; teratogen Ethyl Alcohol (CAS # 64-17-5): sn 0844 Acetic Acid (CAS # 64-19-7): corrosive Acetic Acid (CAS # 64-19-7): sn 0004 Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen Methyl Alcohol (CAS # 67-56-1): sn 1222 Methyl Alcohol (CAS # 67-56-1): SN 1222 500 lb TPQ 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): carcinogen 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): sn 1809 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): SN 1809 500 lb TPQ

15.8. California Proposition 65

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 4/29/2011 (in alcoholic beverages) Ethyl Alcohol (CAS # 64-17-5): carcinogen, 7/1/1988 (when associated with alcohol abuse) Ethyl Alcohol (CAS # 64-17-5): developmental toxicity, 10/1/1987 (in alcoholic beverages) Methyl Alcohol (CAS # 67-56-1): developmental toxicity, 3/16/2012 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): 3 μ g/day NSRL 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): carcinogen, 7/1/1990

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ethyl Alcohol (CAS # 64-17-5): Present (DSL) Ethyl Alcohol (CAS # 64-17-5): Present (NDSL) Acetic Acid (CAS # 64-19-7): Present (DSL) Acetic Acid (CAS # 64-19-7): Present (NDSL) Methyl Alcohol (CAS # 67-56-1): Present (DSL) Methyl Alcohol (CAS # 67-56-1): Present (NDSL) Methylene Blue Trihydrate (CAS # 7220-79-3): Present (DSL) Water (CAS # 7732-18-5): Present (DSL) 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): Present (DSL) 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): Present (NDSL)



15.10. United States of America Toxic Substances Control Act (TSCA) List

Ethyl Alcohol (CAS # 64-17-5): Present Acetic Acid (CAS # 64-19-7): Present Methyl Alcohol (CAS # 67-56-1): Present Methylene Blue Trihydrate (CAS # 7220-79-3): Present Water (CAS # 7732-18-5): Present 1,1,2,2-Tetrachloroethane (CAS # 79-34-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP) Not listed.

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. Toxic if swallowed. Fatal in contact with skin. Causes skin irritation. Causes serious eye damage. Fatal if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause genetic defects. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe fumes, mist, vapors, or spray. Do not get in eyes, on skin, or on clothing. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: Immediately call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water). Rinse mouth. If skin irritation occurs: Get medical attention. If experiencing respiratory symptoms: Call a POISON CENTER or physician. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable. Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable. Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.



16.3. National Fire Protection Association (NFPA) Rating

Health: 2 Flammability: 3 Reactivity: 0 Special Hazard:





16.4. Document Revision

Last Revision Date: 5/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.