SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Nitric Acid, 5% (v/v) in denatured Ethanol

Product Number: 5318.1

Other Identifying Product Numbers: 5318.1-1, 5318.1-32, 5318.1-5

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

Product Number: 5318.1 Page 1 of 15



RICCA CHEMICAL COMPANY®

Safety Data Sheet

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

| | | Hazard | |
|---|-------------|-----------|---|
| Hazard Class | Category | Statement | Precautionary Statements |
| Acute Toxicity - Inhalation | Category 2 | H330 | P260, P271, P285, P304+P340, P310, P320, |
| | | | P403+P233, P405, P501 |
| Skin Corrosion / Irritation | Category 1A | H314 | P260, P264, P280, P301+P330+P331, |
| | | | P303+P361+P353, P363, P304+P340, P310, |
| | | | P321, P305+P351+P338, P405, P501 |
| Eye Damage / Irritation | Category 1 | H318 | P280, P305+P351+P338, P310 |
| Germ Cell Mutagenicity | Category 1 | H340 | P201, P202, P280, P308+P313, P405, P501 |
| Reproductive Toxicity | Category 1 | H360 | P201, P202, P280, P308+P313, P405, P501 |
| Specific Target Organs/Systemic Toxicity Following Single | Category 1 | H370 | P260, P264, P270, P307+P311, P321, P405, |
| Exposure | | | P501 |
| Specific Target Organs/Systemic Toxicity Following Repeated | Category 1 | H372 | P260, P264, P270, P314, P501 |
| Exposure | | | |
| Flammable Liquids | Category 2 | H225 | P210, P233, P240, P241, P242, P243, P280, |
| | | | P303+P361+P353, P370+P378, P403+P235, |
| | | | P501 |
| Corrosive to Metals | Category 1 | H290 | P234, P390, P406 |

2.2. GHS Label Elements

Pictograms:









Signal Word: Danger

Product Number: 5318.1 Page 2 of 15

Hazard Statements:

| Hazard Number | Hazard Statement |
|---------------|---|
| H225 | Highly flammable liquid and vapor. |
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H340 | May cause genetic defects. |
| H360 | May damage fertility or the unborn child. |
| H370 | Causes damage to organs. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |

Product Number: 5318.1 Page 3 of 15

Precautionary Statements:

| Precautionary Number | Precautionary Statement | |
|----------------------|---|--|
| P201 | Obtain special instructions before use. | |
| P202 | Do not handle until all safety precautions have been read and understood. | |
| P210 | Keep away from heat, sparks and open flame. No smoking. | |
| P233 | Keep container tightly closed. | |
| P234 | Keep only in original container. | |
| P240 | Ground container and receiving equipment. | |
| P241 | Use explosion-proof equipment. | |
| P242 | Use only non-sparking tools. | |
| P243 | Take precautionary measures against static discharge. | |
| P260 | Do not breathe fumes, mist, vapors, or spray. | |
| P264 | Wash arms, hands and face thoroughly after handling. | |
| P270 | Do not eat, drink or smoke when using this product. | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P280 | Wear protective gloves and eye protection. | |
| P285 | In case of inadequate ventilation wear respiratory protection. | |
| P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy | |
| | to do. Continue rinsing. | |
| P307+P311 | IF exposed: Call a POISON CENTER or physician. | |
| P308+P313 | IF exposed or concerned: Get medical attention. | |
| P310 | Immediately call a POISON CENTER or physician. | |
| P314 | Get medical attention if you feel unwell. | |
| P320 | Specific treatment is urgent (Wash areas of contact with water immediately). | |
| P321 | Specific treatment (Wash areas of contact with water immediately). | |
| P363 | Wash contaminated clothing before reuse. | |
| P370+P378 | · | |
| P390 | Absorb spillage to prevent material damage. | |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | |
| P405 | Store locked up. | |
| P406 | Store in corrosive resistant container with a resistant inner liner. | |
| P501 | Dispose of contents in accordance with local, state, federal and international regulations. | |

Product Number: 5318.1 Page 4 of 15

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

| Chemical Name | Formula | Molecular Weight | CAS Number | Weight% |
|----------------|------------------------------------|------------------|------------|---------|
| Ethyl Alcohol | CH ₃ CH ₂ OH | 46.06 g/mol | 64-17-5 | 86.57% |
| Nitric Acid | HNO₃ | 63.01 g/mol | 7697-37-2 | 6.38% |
| Methyl Alcohol | CH₃OH | 32.04 g/mol | 67-56-1 | 4.33% |
| Water | H₂O | 18.01 g/mol | 7732-18-5 | 2.73% |

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Results in drying and cracking

which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.

Ingestion: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Do NOT induce vomiting.

4.2. Most Important Symptoms and Effects, Acute and Delayed

Flammable liquid. Primarily toxic by ingestion. If ingested, give large quantity of water and induce vomiting. Call a physician. Contact may cause dryness and cracking of the skin. May cause irritation to the eyes. Wash areas of contact with water. May cause irritation of the respiratory system. Mildly corrosive. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: Results in drying and cracking which can lead to secondary infections and dermatitis. Dermal absorption causes many of the symptoms of inhalation.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Specific treatment (Wash areas of contact with water immediately).

Product Number: 5318.1 Page 5 of 15

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Use water spray, dry chemical, alcohol foam, or carbon dioxide for extinguishing the surrounding fire. Water spray can be used to dilute spills to non-flammable mixtures.

5.2. Specific Hazards Arising from the Substance or Mixture

Highly flammable liquid and vapor. Moderate explosion hazard and dangerous fire hazard when exposed to heat, sparks and open flames. Above flash point, vapor-air mixtures are explosive within flammable limits noted above. Sensitive to static discharge.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

6.2. Cleanup and Containment Methods and Materials

Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable inert material (vermiculite, dry sand, etc) and place in a chemical waste container for proper disposal in an approved waste disposal facility. Ventilate area of spill. Have extinguishing agent available in case of fire. Use non-sparking tools and equipment. Dispose of in accordance with local regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store in corrosive resistant container with a resistant inner liner. As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage. Store in secure, flammable storage area away from all sources of ignition. Empty containers may be hazardous since they retain product residues.

Product Number: 5318.1 Page 6 of 15



SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

| Chemical Name | Limit Type | Country | Exposure Limit | Information Source |
|--------------------------|------------|---------|---------------------------|--|
| Ethyl Alcohol (64-17-5) | TWA | USA | 1000 ppm TWA | U.S OSHA - Final PELs - Time |
| | | | 1900 mg/m³ TWA | Weighted Averages (TWAs) |
| Ethyl Alcohol (64-17-5) | TLV-STEL | USA | 1000 ppm STEL | ACGIH - Threshold Limit Values - Short |
| | | | | Term Exposure Limits (TLV-STEL) |
| Methyl Alcohol (67-56-1) | TWA | USA | 200 ppm TWA | U.S OSHA - Final PELs - Time |
| | | | 260 mg/m ³ TWA | Weighted Averages (TWAs) |
| Methyl Alcohol (67-56-1) | TLV-STEL | USA | 250 ppm STEL | ACGIH - Threshold Limit Values - Short |
| | | | | Term Exposure Limits (TLV-STEL) |
| Methyl Alcohol (67-56-1) | TLV-TWA | USA | 200 ppm TWA | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |
| Nitric Acid (7697-37-2) | TWA | USA | 2 ppm TWA | U.S OSHA - Final PELs - Time |
| | | | 5 mg/m³ TWA | Weighted Averages (TWAs) |
| Nitric Acid (7697-37-2) | TLV-STEL | USA | 4 ppm STEL | ACGIH - Threshold Limit Values - Short |
| | | | | Term Exposure Limits (TLV-STEL) |
| Nitric Acid (7697-37-2) | TLV-TWA | USA | 2 ppm TWA | ACGIH - Threshold Limit Values - Time |
| | | | | Weighted Averages (TLV-TWA) |

8.2. Exposure Controls

Engineering Controls: Use only outdoors or in a well-ventilated area. A system of local and/or general exhaust is recommended to keep

employee exposures below the Airborne Exposure Limit.

Respiratory Protection: In case of inadequate ventilation wear respiratory protection. Work with adequate ventilation or wear respirator

with acid gas/organic vapor cartridge.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves. **Eye Protection:** Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection. Work with adequate ventilation or wear respirator with acid gas/organic vapor cartridge. Chemical resistant gloves. Safety glasses or goggles.

Product Number: 5318.1 Page 7 of 15

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: < 1

Melting/Freezing Point: Data not available.

Initial Boiling Point /Range: Approximately 82°C - Approximately 82°C

Flash Point: Approximately 23.5°C

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 0.84

Solubility: Data not available.

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

ExplosiveProperties: Data not available. **Oxidizing Properties:** Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep container tightly closed. Keep only in original container. Oxidizers, strong bases, metallic powders, platinum, Sodium, Potassium Dioxide, Bromine Pentafluoride, Acetyl Bromide, Acetyl Chloride, heat, sparks, open flame.

Product Number: 5318.1 Page 8 of 15

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Fatal if inhaled. Do not breathe fumes, mist, vapors, or spray. Use only outdoors or in a well-ventilated area. In case of inadequate ventilation wear respiratory protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment is urgent (Wash areas of contact with water immediately). Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Other Information:

LD50, Oral, Rat: (Methanol) 5628 mg/kg, details of toxic effects not reported other than lethal dose value, (Ethanol) 7060 mg/kg, respiration changes noted, LDLo, Oral, Human: (Nitric Acid) 430 mg/kg, details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes severe skin burns and eye damage. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

May cause genetic defects. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Carcinogenicity:

Not applicable.

Product Number: 5318.1 Page 9 of 15

Reproductive Toxicity:

May damage fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water immediately). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: 5318.1 Page 10 of 15



SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

Sizes: 1 L, 4 L, 20 L

UN Number: UN2924

Proper Shipping Name: Flammable liquid, corrosive, n.o.s. (Ethanol, Nitric Acid)

Hazard Class: 3 (8)

Packing Group: ||

Hazard Placard Labels:





Sizes:

UN Number:

Proper Shipping Name:

Hazard Class:

Packing Group:

Hazard Placard Labels:

14.2. Transportation by Air - International Air Transport Association (IATA)

Sizes: 1 L, 4 L, 20 L

UN Number: UN2924

Proper Shipping Name: Flammable liquid, corrosive, n.o.s. (Ethanol, Nitric Acid)

Hazard Class: 3(8)

Hazard Placard Labels:





SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

Product Number: 5318.1 Page 11 of 15

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Nitric Acid (CAS # 7697-37-2): 1000 lb EPCRA RQ Nitric Acid (CAS # 7697-37-2): 1000 lb TPQ

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Methyl Alcohol (CAS # 67-56-1): 5000 lb final RQ; 2270 kg final RQ Nitric Acid (CAS # 7697-37-2): 1000 lb final RQ; 454 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Methyl Alcohol (CAS # 67-56-1): 1.0 % de minimis concentration Nitric Acid (CAS # 7697-37-2): 1.0 % de minimis concentration

15.5. Massachusetts Right-to-Know Substance List

Ethyl Alcohol (CAS # 64-17-5): Teratogen Methyl Alcohol (CAS # 67-56-1): Present

Nitric Acid (CAS # 7697-37-2): Extraordinarily hazardous

15.6. Pennsylvania Right-to-Know Hazardous Substances

Ethyl Alcohol (CAS # 64-17-5): Present

Methyl Alcohol (CAS # 67-56-1): Environmental hazard

Methyl Alcohol (CAS # 67-56-1): Present

Nitric Acid (CAS # 7697-37-2): Environmental hazard

Nitric Acid (CAS # 7697-37-2): Present Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Ethyl Alcohol (CAS # 64-17-5): carcinogen; flammable - third degree; mutagen; teratogen

Ethyl Alcohol (CAS # 64-17-5): sn 0844

Methyl Alcohol (CAS # 67-56-1): flammable - third degree; teratogen

Methyl Alcohol (CAS # 67-56-1): sn 1222

Methyl Alcohol (CAS # 67-56-1): SN 1222 500 lb TPQ

Nitric Acid (CAS # 7697-37-2): corrosive; reactive - second degree

Nitric Acid (CAS # 7697-37-2): sn 1356

Nitric Acid (CAS # 7697-37-2): SN 1356 500 lb TPQ

Nitric Acid (CAS # 7697-37-2): sn 3722

Nitric Acid (CAS # 7697-37-2): SN 3722 500 lb TPQ (water dissociable, Category Code N511)

15.8. California Proposition 65

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 4/29/2011 (in alcoholic beverages)

Ethyl Alcohol (CAS # 64-17-5): carcinogen, 7/1/1988 (when associated with alcohol abuse) Ethyl Alcohol (CAS # 64-17-5): developmental toxicity, 10/1/1987 (in alcoholic beverages)

Methyl Alcohol (CAS # 67-56-1): developmental toxicity, 3/16/2012

Product Number: 5318.1 Page 12 of 15

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Ethyl Alcohol (CAS # 64-17-5): Present (DSL)
Ethyl Alcohol (CAS # 64-17-5): Present (NDSL)
Methyl Alcohol (CAS # 67-56-1): Present (DSL)
Methyl Alcohol (CAS # 67-56-1): Present (NDSL)
Nitric Acid (CAS # 7697-37-2): Present (DSL)
Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Ethyl Alcohol (CAS # 64-17-5): Present Methyl Alcohol (CAS # 67-56-1): Present Nitric Acid (CAS # 7697-37-2): Present Water (CAS # 7732-18-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

Highly flammable liquid and vapor. May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Fatal if inhaled. May cause genetic defects. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep only in original container. Ground container and receiving equipment. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe fumes, mist, vapors, or spray. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection. In case of inadequate ventilation wear respiratory protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or physician. Get medical attention if you feel unwell. Specific treatment is urgent (Wash areas of contact with water immediately). Wash contaminated clothing before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Absorb spillage to prevent material damage.

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Store in corrosive resistant container with a resistant inner liner.

Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: 5318.1 Page **13** of **15**

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

16.3. National Fire Protection Association (NFPA) Rating

Health: 2

Flammability: 3

Reactivity: 0

Special Hazard:



Product Number: 5318.1 Page 14 of 15

16.4. Document Revision

Last Revision Date: 10/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: 5318.1 Page 15 of 15