

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Triethanolamine, 0.500 Normal

Product Number: 8696.5

Other Identifying Product Numbers: 8696.5-1, 8696.5-2.5, 8696.5-5

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Ricca Chemical Company

Address: 448 West Fork Drive

Arlington, TX 76012 USA

Telephone: 888-467-4222

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300 CHEMTREC (International) 1+ 703-527-3887

SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

		Hazard	
Hazard Class	Category	Statement	Precautionary Statements
Skin Sensitizer	Category 1	H317	P261, P272, P280, P302+P352, P332+P313, P321, P363, P501

2.2. GHS Label Elements

Pictograms:



Signal Word: Warning

Product Number: 8696.5 Page 1 of 10

Hazard Statements:

Hazard Number	Hazard Statement
H317	May cause an allergic skin reaction.

Precautionary Statements:

Precautionary Number	Precautionary Statement		
P261	Avoid breathing fumes, mist, vapors, or spray.		
P272	Contaminated work clothing must not be allowed out of the workplace.		
P280	Wear protective gloves and eye protection.		
P302+P352	IF ON SKIN: Wash with plenty of soap and water.		
P321	Specific treatment (Wash areas of contact with water).		
P332+P313	If skin irritation occurs: Get medical attention.		
P363	Wash contaminated clothing before reuse.		
P501	Dispose of contents in accordance with local, state, federal and international regulations.		

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Water	H₂O	18.01 g/mol	7732-18-5	92.90%
Triethanolamine	$C_6H_{15}NO_3$	149.18 g/mol	102-71-6	7.10%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. May cause irritation, redness, and pain.

Ingestion: Dilute with water or milk. Do not induce vomiting. Call a physician if necessary.

Product Number: 8696.5 Page 2 of 10



4.2. Most Important Symptoms and Effects, Acute and Delayed

May cause irritation. Avoid inhalation or prolonged contact with skin. Wash areas of contact with plenty of water for at least 15 minutes. For eyes, get medical attention. Harmful if swallowed. Do not pipet by mouth. If ingested, dilute with water or milk. Do not induce vomiting. Call a physician. EYE CONTACT: May cause irritation with burning and stinging with possible damage to the cornea and conjunctiva. SKIN CONTACT: May cause irritation, redness, and pain. CHRONIC EFFECTS / CARCINOGENICITY: Repeated ingestion of Triethanolamine has caused liver and kidney damage in animals.

4.3. Medical Attention or Special Treatment Needed

Specific treatment (Wash areas of contact with water).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

Use dry chemical, alcohol foam, or carbon dioxide for extinguishing the surrounding fire. Water spray can be used to flush material from fire and to dilute spills to non-combustible mixtures. Water or foam may cause frothing.

5.2. Specific Hazards Arising from the Substance or Mixture

Above flash point, vapor-air mixtures are explosive.

5.3. Special Protective Equipment for Firefighters

Wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Absorb with inert material (vermiculite, sand). Ventilate, if necessary, site of spillage well to evaporate remaining liquid and dispel vapor. Do not flush to sewer. Always comply with local, state, and federal regulations.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

As with all chemicals, wash hands thoroughly after handling. Avoid contact with eyes and skin. Protect from freezing and physical damage.

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Triethanolamine (102-71-6)	TLV-TWA	USA	5 mg/m³ TWA	ACGIH - Threshold Limit Values - Time
				Weighted Averages (TLV-TWA)

Product Number: 8696.5 Page 3 of 10

8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne

Exposure Limit.

Respiratory Protection: Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic

vapor cartridge may be worn.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. Normal room ventilation is adequate. If the exposure limit is exceeded, a full facepiece respirator with organic vapor cartridge may be worn. Chemical resistant gloves. Safety glasses or goggles.

SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Colorless to pale yellow liquid

Physical State: Liquid

Odor: Data not available.

Odor Threshold: Data not available.

pH: 10.5 (0.1 N solution)

Melting/Freezing Point: Approximately 0°C

Initial Boiling Point /Range: 335°C (Triethanolamine) - 335°C (Triethanolamine)

Flash Point: 354°F (Triethanolamine)

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available. Vapor Density: Data not available.

Relative Density: 1.05

Solubility: Miscible

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: Data not available.

Viscosity: Data not available.

ExplosiveProperties: Data not available.

Oxidizing Properties: Data not available.

Product Number: 8696.5 Page 4 of 10

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Copper, copper alloys, galvanized iron, acids, and oxidizers.

10.4. Hazardous Decomposition Products

Will not occur.

SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Not applicable.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral, Rat: (Triethanolamine) 4.92 mL/kg, eye, gastrointestinal and hair effects noted.

LD50, Dermal, Rat: (Triethanolamine) >16 mL/kg, details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Not applicable.

Serious Eye Damage and Irritation:

Not applicable.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

May cause an allergic skin reaction. Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical attention. Specific treatment (Wash areas of contact with water). Wash contaminated clothing before reuse. Dispose of contents in accordance with local, state, federal and international regulations.

Germ Cell Mutagenicity:

Not applicable.

Product Number: 8696.5 Page 5 of 10

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Not applicable.

Specific Target Organ Toxicity from Single Exposure:

Not applicable.

Specific Target Organ Toxicity from Repeated Exposure:

Not applicable.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Not applicable.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: 8696.5 Page 6 of 10

SECTION 14: Transportation Information

Not regulated according to DOT Regulations.

Not regulated according to IATA Regulations.

SECTION 15: Regulatory Information

- 15.1. Occupational Safety and Health Administration (OSHA) Hazards
 Not listed.
- 15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances Not listed.
- 15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals Not listed.
- 15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

 Not listed.
- 15.5. Massachusetts Right-to-Know Substance List

Triethanolamine (CAS # 102-71-6): Present

Product Number: 8696.5 Page **7** of **10**

15.6. Pennsylvania Right-to-Know Hazardous Substances

Triethanolamine (CAS # 102-71-6): Present Water (CAS # 7732-18-5): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Triethanolamine (CAS # 102-71-6): sn 4094

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Triethanolamine (CAS # 102-71-6): Present (DSL) Water (CAS # 7732-18-5): Present (DSL)

15.10. United States of America Toxic Substances Control Act (TSCA) List

Triethanolamine (CAS # 102-71-6): Present Water (CAS # 7732-18-5): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS), European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May cause an allergic skin reaction.

Avoid breathing fumes, mist, vapors, or spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves and eye protection.

IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. Wash contaminated clothing before reuse.

Dispose of contents in accordance with local, state, federal and international regulations.

16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Not Applicable.

Product Number: 8696.5 Page 8 of 10

16.3. National Fire Protection Association (NFPA) Rating

Health: 2

Flammability: 0

Reactivity: 0

Special Hazard:



Product Number: 8696.5 Page 9 of 10

16.4. Document Revision

Last Revision Date: 5/1/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and RICCA CHEMICAL COMPANY assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: 8696.5 Page 10 of 10